Author Index

AKUFFO, H.O. & BRITTON, S.F.F. Contribution of non-Leishmania-specific immunity to resistance to Leishmania infection in humans, 58
ALEXANDER-WILLIAMS, J. *see* IBBOTSON, J.P.
ALLAN, R.N. *see* IBBOTSON, J.P.
AL-SAFFAR, N. *see* NORTON, J.
ALVAREZ, F. *see* YAMAMOTO, A.M.
ALVAREZ, V. *see* PULIDO, R.
AMARO, R. GONZÁLEZ *see* ESPITIA, C.
AMINO, N. *see* IWATANI, Y.
ANDERSON, R. *see* SHEPHARD, E.G.
AOTSUKA, S., OKAWA-TAKATSUJI, M., UWATOKO, S., YOKOHARI, R., IKEDA, Y. & TODA, G. Antibodies against sulphatide in sera from patients with autoimmune rheumatic diseases, 438
APPELBERG, R. & PEDROSA, J. Induction and expression of protective T cells during *Mycobacterium avium* infections in mice, 379
ARAAKE, M. *see* UCHIYAMA, T.
ARNAIZ-VILLENA, A. *see* SEGUARDO, O.G.
ARNTZ, O.J. *see* VAN DE LOO, A.A.J.
ASSELAIN, B. *see* LYNCH, A.
AUCOUTURIER, P. *see* KHAMLICHI, A.A.
AVILA, J. *see* MÉNDEZ, E.

BADUR, S., GRANGEOT-KEROS, L. & PILLOT, J. HBsAg in urine: a new approach for the detection of urinary antigens, 298
BALBOA, M.A., IZQUIERDO, M., SÁNCHEZ-MADRID, F., FERNANDEZ-RAÑADA, J.M. & LÓPEZ-BOTET, M. Analysis of different protein kinase C-dependent events in T cells from allogeneic bone marrow transplantation recipients, 478
BALFOUR, B.M. *see* RUDNICKA, W.
BARBOSA, J.E., HARRISON, R.A., BARKER, P.J. & LACHMANN, P.J. An anti-peptide antibody that recognizes a neo-antigen in the CR1 stump remaining on erythrocytes after proteolysis, 144
BARKER, P.J. *see* BARBOSA, J.E.
BATTESTI, J. *see* FAJAC, I.
BAUD, L. *see* PHILIPPE, C.
BELL, S.J.D., COOPER, D.A., KEMP, B.E., DOHERTY R.R. & PENNY, R. Definition of an immunodominant T cell epitope contained in the envelope gp41 sequence of HIV-1, 37
BELOSEVIC, M. & DANIELS, C.W. Phagocytosis of *Giardia lamblia* trophozoites by cytokine-activated macrophages, 304
BERNARD, O. *see* YAMAMOTO, A.M.
BERNEY, T. *see* SHIBATA, T.
BERNHEIMER, H. *see* CHUJOR, C.S.N.
BEVEC, D. *see* CHUJOR, C.S.N.
BIRD, P. *see* HAZLEWOOD, M.A.
BOGERS, W.M.J.M. *see* STAD, R.K.
BORNE, A.E.G. KR. VON DEM *see* KLAASSEN, R.J.L.
BOTTASSO, O. *see* ESPITIA, C.
BOTTAZZO, G.F. *see* CHRISTMAS, T.J.
BOUCHARD, A. *see* COHEN, J.H.M.
BOUCHONNET, F. *see* FAJAC, I.
BOWLIN, T.L. *see* FLESCHER, E.
BOYLE, M.J., SCULLEY, T.B., COOPER, D.A., TURNER, J.J., PENNY, R. & SEWELL, W.A. Epstein–Barr virus and HIV play no direct role in persistent generalized lymphadenopathy syndrome, 357
BRANDTZAEG, P. *see* NILSSEN, D.E.
BRAUNSTEINER, H. *see* WIEDERMANN, C.J.
BRAUWENS, M. *see* KHAMLICHI, A.A.
BREEDVELD, F.C. *see* COREMANS, I.E.M.
BRENNER, C. BELLO & M.K. *see* GOTTLIEB, D.J.
BRICIO, T., MOLINA, A., EGIDO, J., GONZALEA, E. & MAMPASO, F. IL-1-like production in adriamycin-induced nephrotic syndrome in the rat, 117
BRITTON, S.F.F. *see* AKUFFO, H.O.
BRYANT, A. *see* FRANZ, A.
BRYANT, A.E. *see* RUDNICKA, W.
BURMAN, K. *see* MISKO, I.S.
BURROWS, S.R. *see* MISKO, I.S.

CAMPBELL, A.K. *see* LENNON, S.V.
CAMPOS-NETO, A. *see* SARTORI, A.
CAPRON, A. *see* LASSALLE, P.
CAPRON, M. DUHAMEL & A. *see* DECOSTER, A.
CARON, A. *see* DECOSTER, A.
CELLONA, R.V. *see* PARK, J.Y.
CHAHAL, H. *see* IBBOTSON, J.P.
CHEVRIER, D. *see* DADAGLIO, G.
CHO, S.N. *see* PARK, J.Y.
CHRISTMAS, T.J. & BOTTAZZO, G.F. Abnormal urothelial HLA-DR expression in intersititat cystitis, 450
CHUJOR, C.S.N., KUHN, B., SCHWERER, B., BERNHEIMER, H., LEVIS, W.R. & BEVEC, D. Specific inhibition of mRNA accumulation for lymphokines in human T cell line Jurkat by mycobacterial lipoarabinomannan antigen, 398
COE, J. *see* SARTORI, A.
COHEN, J.H.M., LUTZ, H.U., PENNAFORTE, J.L., BOUCHARD, A. & KAZATCHKINE, M.D. Peripheral catabolism of CR1 (the C3b receptor, CD35) on erythrocytes from healthy individuals and patients with systemic lupus erythematosus (SLE), 422
COLLINS, F.M. *see* HUBBARD, R.D.
COOPER, D.A. *see* BELL, S.J.D.
COOPER, D.A. *see* BOYLE, M.J.
COREMANS, I.E.M., DAHA, M.R., VAN DER VOORT, E.A.M., MUIZER, Y., HALMA, C. & BREEDVELD, F.C. Antibodies against C1q in anti-glomerular basement membrane nephritis, 256
COSTERHUIS, H.J.G.H. *see* KUKS, J.B.M.
COSTIGLIOLA, P. *see* FABIO, G.
COTTER, T.G. *see* LENNON, S.V.
CROWE, J.S., HALL, V.S., SMITH, M.A. & TITE, H.J. COOPER & J.P. Humanized monoclonal antibody CAMPATH-1H: myeloma cell expression of genomic constructs, nucleotide sequence of cDNA constructs and comparison of effector mechanisms of myeloma and Chinese hamster ovary cell-derived material, 105

DADAGLIO, G., MICHEL, F., LANGLADE-DEMOYEN, P., SANSONETTI, P., CHEVRIER, D., VUILLIER, F., PLATA, F. & HOFFENBACH, A. Enhancement of HIV-specific cytotoxic T lymphocyte responses by zidovudine (AZT) treatment, 7
DAHA, M. *see* HAZLEWOOD, M.A.
DAHA, M.R. *see* COREMANS, I.E.M.
DAHA, M.R. *see* STAD, R.K.
DALGLEISH, A.G. *see* MANCA, F.
DAMMACCO, F. & SANSONNO, D. Antibodies to hepatitis C virus in essential mixed cryoglobulinaemia, 352
DANIEL, V. *see* NORONHA, I.L.
DANIELS, C.W. *see* BELOSEVIC, M.
DARCY, F. *see* DECOSTER, A.
D'ARMINO, A. *see* FABIO, G.
DECOSTER, A., DARCY, F., CARON, A., VINATIER, D., HOUZE DE L'AULNOIT, D. VITTU, G., NEIL, G., HEYER, F., LECOLIER, B., DELCROIX, M., MONNIER, J.C. & CAPRON, M. DUHAMEL & A. Anti-P30 IgA antibodies as prenatal markers of congenital toxoplasma infection, 310
DELCROIX, M. *see* DECOSTER, A.
DELNESTE, Y. *see* LASSALLE, P.
DENHAM, S. & ROWLAND, I.J. Inhibition of the reactive proliferation of lymphocytes by activated macrophages: the role of nitric oxide, 157
DENMAN, A.M. Cryoglobulins and the immunopathological manifestations of autoimmune disease, 169
DESMET, V.J. *see* VOLPES, R.
DICKENS, E. *see* WOOD, N.C.
DOLMAN, K.M. *see* KLAASSEN, R.J.L.
DORIA, G. *see* GOSO, C.
DOUCET, A. *see* ZUBLER, R.H.
DUFF, G.W. *see* WOOD, N.C.
DWYER, J. *see* LLOYD, A.

EDWARDS, A.J. *see* RUDNICKA, W.
EGIDO, J. *see* BRICIO, T.
ENGLISH, N. *see* RUDNICKA, W.
ENTRICAN, G., HOPKINS, J., MACLEAN, M., MCCONNELL, I. & NETTLETON, P.F. Cell phenotypes in the efferent lymph of sheep persistently infected with Border disease virus, 393
ESPITIA, C., SCIUTTO, E., BOTTASSO, O., AMARO, R. GONZÁLEZ, HERNÁNDEZ-PANDO, R. & MANCILLA, R. High antibody levels to the mycobacterial fibronectin-binding antigen of 30–31 kD in tuberculosis and lepromatous leprosy, 362

FABIO, G., SCORZA, R., LAZZARIN, A., MARCHINI, M., ZARANTONELLO, M., D'ARMINO, A., MARCHISIO, P., PLEBANI, A., LUZZATI, R. & COSTIGLIOLA, P. HLA-associated susceptibility to HIV-1 infection, 20
FAITH, A., SCHELLENBERG, D.M. & MITCHELL, A.D.M. REES & D.M. Antigenic specificity and subset analysis of T cells isolated from the bronchoalveolar lavage and pleural effusion of patients with lung disease, 272
FAJAC, I., TAZI, A., HANCE, A.J., BOUCHONNET, F., RIQUET, M., BATTESTI, J. & SOLER, P. Lymphocytes infiltrating normal human lung and lung carcinomas rarely express $\gamma\delta$ T cell antigen receptors, 127
FAJARDO, T.T. *see* PARK, J.Y.
FARRANT, J. *see* RUDNICKA, W.
FAUSA, O. *see* NILSSEN, D.E.
FEIGE, U. *see* YANG, X.-D.
FELZMANN, T. *see* MAURER, D.
FERNANDEZ-RAÑADA, J.M. *see* BALBOA, M.A.
FLESCHER, E., BOWLIN, T.L. & TALAL, N. Regulation of IL-2 production by mononuclear cells from rheumatoid arthritis synovial fluids, 435
FLEUREN, G.J. *see* GORTER, A.
FLORY, C.M. *see* HUBBARD, R.D.
FONTAN, G. *see* SEGUARDO, O.G.
FOUQUERAY, B. *see* PHILIPPE, C.
FRANZ, A., BRYANT, A., WEBSTER, A.D.B. & FARRANT, J. Effect of 12,13-phorbol dibutyrate and ionomycin on defective B cells in common variable immunodefiency, 461
FRASCA, D. *see* GOSO, C.
FRIDKIN, M. *see* SHEPHARD, E.G.
FRIDMAN, W.H. *see* LYNCH, A.
FRØLAND, S.S. *see* NILSSEN, D.E.
FRYDEN, A. *see* WEJSTÅL, R.
FUCHS, D. *see* WEJSTÅL, R.
FUKATA, F. *see* IWATANI, Y.

GASSER, J. *see* YANG, X.-D.
GASTON, J.S.H. *see* IBBOTSON, J.P.
GATENBY, P.A. *see* OLIVE, C.
GLAUMANN, H. *see* WEJSTÅL, R.
GOGNÉ, M. *see* KHAMLICHI, A.A.
GOLDSCHMEDING, R. *see* KLAASSEN, R.J.L.
GONZALEA, E. *see* BRICIO, T.
GOODALL, M. *see* HAZLEWOOD, M.A.
GORTER, A., KRÜSE, K.M., SCHRIER, P.I., FLEUREN, G.J. & VAN DE GRIEND, R.J. Enhancement of the lytic activity of cloned human CD8 tumour-infiltrating lymphocytes by bispecific monoclonal antibodies, 111
GOSO, C., FRASCA, D. & DORIA, G. Effect of synthetic thymic humoral factor (THF-γ2) on T cell activities in immunodeficient ageing mice, 346
GOSSET, P. *see* LASSALLE, P.
GOTTLIEB, D.J., PRENTICE, H.G., HESLOP, H.E. & BRENNER, C. BELLO & M.K. IL-2 infusion abrogates humoral immune responses in humans, 493
GRANGEOT-KEROS, L. *see* BADUR, S.

HABESHAW, J. *see* MANCA, F.
HALL, V.S. *see* CROWE, J.S.
HALLETT, M.B. *see* LENNON, S.V.
HALMA, C. *see* COREMANS, I.E.M.
HAN, X. *see* REEM, G.H.
HANCE, A.J. *see* FAJAC, I.
HARRISON, R.A. *see* BARBOSA, J.E.
HASKARD, D.O. *see* NORTON, J.
HASLAM, P.L. *see* HUGHES, D.A.
HASLAM, P.L. *see* PRIOR, C.
HAYAHARA, N. *see* IKEMOTO, S.
HAZLEWOOD, M.A., KUMARARATNE, D.S., WEBSTER, A.D.B., GOODALL, M., BIRD, P. & DAHA, M. An association between homozygous C3 deficiency and low levels of anti-pneumococcal capsular polysaccharide antibodies, 404
HENRY, M. *see* ZANELLI, E.
HERNÁNDEZ-PANDO, R. *see* ESPITIA, C.
HESLOP, H.E. *see* GOTTLIEB, D.J.
HEYER, F. *see* DECOSTER, A.
HICKIE, C. *see* LLOYD, A.
HICKIE, I. *see* LLOYD, A.
HIDAKA, Y. *see* IWATANI, Y.
HIRAMINE, C. *see* ITOH, M.
HOFFENBACH, A. *see* DADAGLIO, G.
HOJO, K. *see* ITOH, M.
HOLTER, W. *see* MAURER, D.
HONEYMAN, M. *see* MISKO, I.S.
HOPKINS, J. *see* ENTRICAN, G.
HOUZE DE L'AULNOIT, D. *see* DECOSTER, A.
HUANG, Y.-P. *see* ZUBLER, R.H.
HUBBARD, R.D., FLORY, C.M. & COLLINS, F.M. Immunization of mice with mycobacterial culture filtrate proteins, 94
HUGHES, D.A. *see* PRIOR, C.
HUGHES, D.A., TOWNSEND, P.J. & HASLAM, P.L. Enhancement of the antigen-presenting function of monocytes by cholesterol: possible relevance to inflammatory mechanisms in extrinsic allergic alveolitis and atherosclerosis, 279

IBBOTSON, J.P., LOWES, J.R., CHAHAL, H., GASTON, J.S.H., LIFE, P., KUMARARATNE, D.S., SHARIF, H., ALEXANDER-WILLIAMS, J. & ALLAN, R.N. Mucosal cell-mediated immunity to mycobacterial, enterobacterial and other microbial antigens in inflammatory bowel disease, 224
ICHIHARA, K. *see* IWATANI, Y.
IGARASHI, H. *see* UCHIYAMA, T.
IGLESIAS-CASARRUBIOS, P. *see* SEGUARDO, O.G.
IKEDA, Y. *see* AOTSUKA, S.
IKEMOTO, S., KAMIZURU, K., HAYAHARA, N., OKAMOTO, S., WASA, S., KISHIMOTO, T. & MAEKAWA, M. Thymus lymphocytes in uraemic rats and the effect of thymosin fraction 5 *in vivo*, 220
ISHIOKA, C., YOSHIDA, A., KIMATA, H. & MIKAWA, H. Vasoactive intestinal peptide stimulates immunoglobulin production and growth of human B cells, 504
ISHIZAKA, A., KOJIMA, K., SAKIYAMA, Y., MATSUMOTO, S., KUWAJIMA, K., WAGATSUMA, Y., SHIBATA, R. & JOH, K. Hyper-response to serum IgG1 to *Staphylococcus aureus* peptidoglycan in patients with hyper-IgE syndrome, 53
ITOH, M., MUKASA, A., TOKUNAGA, Y., HIRAMINE, C. & HOJO, K. Suppression of efferent limb of testicular autoimmune response by a regulatory $CD4^+$ T cell line in mice, 455
IWAMOTO, I., TOMOE, S., TOMIOKA, H. & YOSHIDA, S. Substance P-induced granulocyte infiltration in mouse skin: the mast cell-dependent granulocyte infiltration by the N-terminal peptide is enhanced by the activation of vascular endothelial cells by C-terminal peptide, 203
IWATANI, Y., AMINO, N., HIDAKA, Y., KANEDA, T., ICHIHARA, K., TAMAKI, H., MATSUZUKA, F., FUKATA, F., KUMA, K. & MIYAI, K. Decreases in $\alpha\beta$ T cell receptor negative T cells and CD8 cells, and an increase in $CD4^+CD8^+$ cells in active Hashimoto's disease and subacute thyroiditis, 444
IZQUIERDO, M. *see* BALBOA, M.A.
IZUI, S. *see* SHIBATA, T.

JOH, K. *see* ISHIZAKA, A.
JOSEPH, M. *see* LASSALLE, P.

KAMIZURU, K. *see* IKEMOTO, S.
KANEDA, T. *see* IWATANI, Y.
KAWACHI, H., MATSUI, K., ORIKASA, M., OITE, T. & SHIMIZU, F. Quantitative studies of monoclonal antibody 5-1-6-induced proteinuric state in rats, 215
KAZATCHKINE, M.D. *see* COHEN, J.H.M.
KELLY, S.L. *see* SHEPHARD, E.G.
KEMP, B.E. *see* BELL, S.J.D.

KHAMLICHI, A.A., AUCOUTURIER, P., SILVAIN, C., BRAUWENS, M., TOUCHARD, G., PREUD'HOMME, J.-L., NAU, F. & GOGNÉ, M. Primary structure of a monoclonal κ chain in myeloma with light chain deposition disease, 122
KILFEATHER, S.A. *see* LENNON, S.V.
KIM, D.I. *see* PARK, J.Y.
KIM, J.D. *see* PARK, J.Y.
KIMATA, H. *see* ISHIOKA, C.
KINIGADNER, U. *see* WIEDERMANN, C.J.
KISHIMOTO, T. *see* IKEMOTO, S.
KLAASSEN, R.J.L., GOLDSCHMEDING, R., DOLMAN, K.M., VLEKKE, A.B.J., WEIGEL, H.M., SCHATTENKERK, J.K.M. EEFTINCK, MULDER, J.W., WESTEDT, M.L. & BORNE, A.E.G. KR. VON DEM Anti-neutrophil cytoplasmic autoantibodies in patients with symptomatic HIV infection, 24
KNAPP, W. *see* MAURER, D.
KNEZ, J.J. *see* RATNOFF, W.D.
KOJIMA, K. *see* ISHIZAKA, A.
KRISHNAMOORTHY, R. *see* YAMAMOTO, A.M.
KRÜSE, K.M. *see* GORTER, A.
KUHN, B. *see* CHUJOR, C.S.N.
KUKS, J.B.M., LIMBURG, P.C., COSTERHUIS, H.J.G.H. & THE, T.H. Antibodies to acetylcholine receptors in myasthenia gravis. *In vitro* synthesis by peripheral blood lymphocytes before and after thymectomy, 246
KUMA, K. *see* IWATANI, Y.
KUMARARATNE, D.S. *see* HAZLEWOOD, M.A.
KUMARARATNE, D.S. *see* IBBOTSON, J.P.
KUNG, A.W.C., MA, L. & LAU, K.S. The role of interferon-gamma in lymphocytic thyroiditis: its functional and pathological effect on human thyrocytes in culture, 261
KUWAJIMA, K. *see* ISHIZAKA, A.

LACHMANN, P.J. *see* BARBOSA, J.E.
LACHMANN, P.J. *see* RATNOFF, W.D.
LAIRMORE, M.D. *see* LAL, R.B.
LAL, R.B., RUDOLPH, D.L., SCHMID, D.S. & LAIRMORE, M.D. Concomitant augmentation of $CD4^+CD29^+$ helper inducer and diminution of $CD4^+CD45RA^+$ suppressor inducer subset in patients infected with human T cell lymphotropic virus types I or II, 293
LANGLADE-DEMOYEN, P. *see* DADAGLIO, G.
LANTIER, F. *see* OSWALD, I.P.
LASSALLE, P., SERGANT, M., DELNESTE, Y., GOSSET, P., WALLAERT, B., ZANDECKI, M., CAPRON, A., JOSEPH, M. & TONNEL, A.B. Level of soluble IL-2 receptor in plasma from asthmatics. Correlations with blood eosinophilia, lung function, and corticosteroid therapy, 266
LAU, K.S. *see* KUNG, A.W.C.
LAUFMAN, H. *see* MCPEEK, M.
LAZZARIN, A. *see* FABIO, G.
LECOLIER, B. *see* DECOSTER, A.
LENNON, S.V., KILFEATHER, S.A., HALLETT, M.B., CAMPBELL, A.K. & COTTER, T.G. Elevation in cytosolic free Ca^{2+} are not required to trigger apoptosis in human leukaemia cells, 465
LEVIS, W.R. *see* CHUJOR, C.S.N.
LIFE, P. *see* IBBOTSON, J.P.
LIMBURG, P.C. *see* KUKS, J.B.M.
LLOYD, A., HICKIE, I., HICKIE, C., DWYER, J. & WAKEFIELD, D. Cell-mediated immunity in patients with chronic fatigue syndrome, health control subjects and patients with major depression, 76
LÓPEZ-BOTET, M. *see* BALBOA, M.A.
LOPEZ-TRASCASA, M. *see* SEGUARDO, O.G.
LOWES, J.R. *see* IBBOTSON, J.P.
LUTZ, H.U. *see* COHEN, J.H.M.
LUZZATI, R. *see* FABIO, G.
LYNCH, A., TARTOUR, E., TEILLAUD, J.L., ASSELAIN, B., FRIDMAN, W.H. & SAUTÈS, C. Increased levels of soluble low-affinity Fc receptors (IgG-binding factors) in the sera of tumour-bearing mice, 208

MA, L. *see* KUNG, A.W.C.
MACLEAN, M. *see* ENTRICAN, G.
MAEKAWA, M. *see* IKEMOTO, S.
MALTHIERY, Y. *see* ZANELLI, E.
MAMPASO, F. *see* BRICIO, T.
MANCA, F., NEWELL, A., VALLE, M., HABESHAW, J. & DALGLEISH, A.G. HIV-induced deletion of antigen-specific T cell function is MHC restricted, 15
MANCILLA, R. *see* ESPITIA, C.
MARCELLI, A. *see* REEM, G.H.
MARCHINI, M. *see* FABIO, G.
MARCHISIO, P. *see* FABIO, G.
MARIA, V.A.J. *see* VICTORINO, R.M.M.
MARTINEZ-LASO, J. *see* SEGUARDO, O.G.
MATSUI, K. *see* KAWACHI, H.
MATSUMOTO, S. *see* ISHIZAKA, A.
MATSUZUKA, F. *see* IWATANI, Y.
MAURER, D., FELZMANN, T., HOLTER, W., PETERA, P., SMOLEN, J. & KNAPP, W. Evidence for the presence of activated T cells with naive phenotype in the peripheral blood of patients with rheumatoid arthritis, 429
MCCONNELL, I. *see* ENTRICAN, G.
MCFARLANE, I.G. Immunological abnormalities and hepatotropic viral infections, 337
MCPEEK, M., SALKOWITZ, J., LAUFMAN, H., PEARL, D. & ZWILLING, B.S. The expression of HLA-DR by monocytes from black and from white donors: different requirements for protein synthesis, 163
MEDOF, M.E. *see* RATNOFF, W.D.
MÉNDEZ, E., OSUNA, C., SÁNCHEZ, A., REVILLA, Y., SORIANO, F., MONTALBÁN, C., SEGUÍ, J. & AVILA, J. The structure of two IgMs showing different activity from a patient with Waldenström's macroglobulinaemia, 472
MICHEL, F. *see* DADAGLIO, G.
MIESCHER, P.A. *see* ZUBLER, R.H.
MIKAWA, H. *see* ISHIOKA, C.
MISKO, I.S., SCHMIDT, C., HONEYMAN, M., SOSZYNSKI, T.D., SCULLEY, T.B., BURROWS, S.R., MOSS, D.J. & BURMAN, K. Failure of Epstein–Barr virus-specific cytotoxic T lymphocytes to lyse B cells transformed with the B95-8 strain is mapped to an epitope that associates with the HLA-B8 antigen, 65
MITCHELL, A.D.M. REES & D.M. *see* FAITH, A.
MIYAI, K. *see* IWATANI, Y.
MIYANAGA, Y. *see* UCHIYAMA, T.
MOLINA, A. *see* BRICIO, T.
MOLLINEDO, F. *see* PULIDO, R.
MONNIER, J.C. *see* DECOSTER, A.
MONTALBÁN, C. *see* MÉNDEZ, E.
MORALES, M.G. *see* YAMAMOTO, A.M.
MOSS, D.J. *see* MISKO, I.S.
MOUTIER, R. *see* OSWALD, I.P.
MUIZER, Y. *see* COREMANS, I.E.M.
MUKASA, A. *see* ITOH, M.
MULDER, J.W. *see* KLAASSEN, R.J.L.
MUR, E. *see* WIEDERMANN, C.J.
MURA, C. *see* YAMAMOTO, A.M.

NAKAYAMA, F. *see* SAKAMOTO, T.
NAU, F. *see* KHAMLICHI, A.A.
NEIL, G. *see* DECOSTER, A.
NETTLETON, P.F. *see* ENTRICAN, G.
NEWELL, A. *see* MANCA, F.
NILSSEN, D.E., BRANDTZAEG, P., FRØLAND, S.S. & FAUSA, O. Subclass composition and J-chain expression of the 'compensatory' gastrointestinal IgG cell population in selective IgA deficiency, 237
NOKRANS, G. *see* WEJSTÅL, R.
NORONHA, I.L., DANIEL, V., SCHIMPF, K. & OPELZ, G. Soluble IL-2 receptor and tumour necrosis factor-α in plasma of haemophilia patients infected with HIV, 287
NORTH, M.E. *see* RUDNICKA, W.
NORTON, J., SLOANE, J.P., AL-SAFFAR, N. & HASKARD, D.O. Expression of adhesion molecules in human intestinal graft-*versus*-host disease, 231

OITE, T. *see* KAWACHI, H.
OKADA, H. *see* RATNOFF, W.D.
OKAMOTO, S. *see* IKEMOTO, S.
OKAWA-TAKATSUJI, M. *see* AOTSUKA, S.
OLIVE, C., GATENBY, P.A. & SERJEANTSON, S.W. Variable gene usage of T cell receptor γ- and δ-chain transcripts expressed in synovia and peripheral blood of patients with rheumatoid arthritis, 172

OPELZ, G. *see* NORONHA, I.L.
ORIKASA, M. *see* KAWACHI, H.
OSUNA, C. *see* MÉNDEZ, E.
OSWALD, I.P., LANTIER, F., MOUTIER, R. & SKAMENE, M.-F. BERTRAND & E. Intraperitoneal infection with *Salmonella abortusovis* is partially controlled by a gene closely linked with the *Ity* gene, 373

PANERAI, A.E. *see* WIEDERMANN, C.J.
PARK, J.Y., CHO, S.N., YOUN, J.K., KIM, D.I., CELLONA, R.V., FAJARDO, T.T., WALSH, G.P. & KIM, J.D. Detection of antibodies to human nerve antigens in sera from leprosy patients by ELISA, 368
PEARL, D. *see* MCPEEK, M.
PEDROSA, J. *see* APPELBERG, R.
PENNAFORTE, J.L. *see* COHEN, J.H.M.
PENNY, R. *see* BOYLE, M.J.
PENNY, R.R. DOHERTY & R. *see* BELL, S.J.D.
PEREZ, J. *see* PHILIPPE, C.
PERRIN, L.H. *see* ZUBLER, R.H.
PETERA, P. *see* MAURER, D.
PHILIPPE, C., FOUQUERAY, B., PEREZ, J. & BAUD, L. Up-regulation of tumour necrosis factor-alpha receptors on monocytes by desferrioxamine, 499
PILLOT, J. *see* BADUR, S.
PINTO, L.A. *see* VICTORINO, R.M.M.
PLATA, F. *see* DADAGLIO, G.
PLEBANI, A. *see* FABIO, G.
PRENTICE, H.G. *see* GOTTLIEB, D.J.
PREUD'HOMME, J.-L. *see* KHAMLICHI, A.A.
PRINCE, G.M. *see* RATNOFF, W.D.
PRIOR, C., TOWNSEND, P.J., HUGHES, D.A. & HASLAM, P.L. Induction of lymphocyte proliferation by antigen-pulsed human neutrophils, 485
PULIDO, R., ALVAREZ, V., MOLLINEDO, F. & SANCHEZ-MADRID, F. Biochemical and functional characterization of the leucocyte tyrosine phosphatase CD45 (CD45RO, 180 kD) from human neutrophils. *In vivo* upregulation of CD45RO plasma membrane expression on patients undergoing haemodialysis, 329

RATNOFF, W.D., KNEZ, J.J., PRINCE, G.M., OKADA, H., LACHMANN, P.J. & MEDOF, M.E. Structural properties of the glycoplasmanylinositol anchor phospholipid of the complement membrane attack complex inhibitor CD59, 415
REEM, G.H., HAN, X. & MARCELLI, A. Regulation of IL-2β receptor expression and β-chain mRNA by human erythrocytes, 150
REVILLA, Y. *see* MÉNDEZ, E.
RIQUET, M. *see* FAJAC, I.
ROQUE-BARREIRA, M.C. *see* SARTORI, A.
ROWLAND, I.J. *see* DENHAM, S.
RUDNICKA, W., ENGLISH, N., FARRANT, J., NORTH, M.E., BRYANT, A.E., EDWARDS, A.J., STACKPOOLE, A., WEBSTER, A.D.B. & BALFOUR, B.M. LFA-1-dependent OKT3-driven T cell clusters in common variable immunodeficiency, 46
RUDOLPH, D.L. *see* LAL, R.B.

SACERDOTE, P. *see* WIEDERMANN, C.J.
SAKAMOTO, T., NAKAYAMA, F., TAMAMORI, T. & TAKIGAWA, M. Fcε receptor II/CD23$^+$ lymphocytes in atopic dermatitis. III. Aberrant control in the *in vitro* expression of FcεRII/CD23 on peripheral blood T cells in atopic dermatitis, 87
SAKIYAMA, Y. *see* ISHIZAKA, A.
SALKOWITZ, J. *see* MCPEEK, M.
SÁNCHEZ, A. *see* MÉNDEZ, E.
SÁNCHEZ-MADRID, F. *see* BALBOA, M.A.
SANCHEZ-MADRID, F. *see* PULIDO, R.
SANSONETTI, P. *see* DADAGLIO, G.
SANSONNO, D. *see* DAMMACCO, F.
SARTORI, A., ROQUE-BARREIRA, M.C., COE, J. & CAMPOS-NETO, A. Immune complex glomerulonephritis in experimental kala-azar. Detection and characterization of parasite antigens and antibodies eluted from kidneys of *Leishmania donovani*-infected hamsters, 386
SAUTÉS, C. *see* LYNCH, A.
SCHATTENKERK, J.K.M. EEFTINCK *see* KLAASSEN, R.J.L.
SCHELLENBERG, D.M. *see* FAITH, A.
SCHIMPF, K. *see* NORONHA, I.L.
SCHMID, D.S. *see* LAL, R.B.
SCHMIDT, C. *see* MISKO, I.S.
SCHRIER, P.I. *see* GORTER, A.
SCHVARCZ, R. *see* WEJSTÅL, R.
SCHWERER, B. *see* CHUJOR, C.S.N.
SCIUTTO, E. *see* ESPITIA, C.
SCORZA, R. *see* FABIO, G.
SCULLEY, T.B. *see* BOYLE, M.J.
SCULLEY, T.B. *see* MISKO, I.S.
SEGUARDO, O.G., ARNAIZ-VILLENA, A., IGLESIAS-CASARRUBIOS, P., MARTINEZ-LASO, J., VICARIO, J.L., FONTAN, G. & LOPEZ-TRASCASA, M. Combined total deficiency of C7 and C4B with systemic lupus erythematosus (SLE), 410
SEGUÍ, J. *see* MÉNDEZ, E.
SERGANT, M. *see* LASSALLE, P.
SERJEANTSON, S.W. *see* OLIVE, C.
SEWELL, W.A. *see* BOYLE, M.J.
SHARIF, H. *see* IBBOTSON, J.P.
SHEPHARD, E.G., KELLY, S.L., ANDERSON, R. & FRIDKIN, M. Characterization of neutrophil-mediated degradation of human C-reactive protein and identification of the protease, 509
SHIBATA, R. *see* ISHIZAKA, A.
SHIBATA, T., BERNEY, T., SPERTINI, F. & IZUI, S. Rheumatoid factors in mice bearing the *lpr* or *gld* mutation. Selective production of rheumatoid factor cryoglobulins in MRL/MPJ-*lpr*/*lpr* mice, 190
SHIMIZU, F. *see* KAWACHI, H.
SILVAIN, C. *see* KHAMLICHI, A.A.
SKAMENE, M.-F. BERTRAND & E. *see* OSWALD, I.P.
SLOANE, J.P. *see* NORTON, J.
SLUYS, M.E. THOOMES-VAN DER *see* STAD, R.K.
SMITH, M.A. *see* CROWE, J.S.
SMOLEN, J. *see* MAURER, D.
SOLER, P. *see* FAJAC, I.
SORIANO, F. *see* MÉNDEZ, E.
SOSZYNSKI, T.D. *see* MISKO, I.S.
SPERTINI, F. *see* SHIBATA, T.
STACKPOOLE, A. *see* RUDNICKA, W.
STAD, R.K., BOGERS, W.M.J.M., SLUYS, M.E. THOOMES-VAN DER, VAN ES, L.A. & DAHA, M.R. *In vivo* activation of complement by IgA in a rat model, 138
SYMONS, J.A. *see* WOOD, N.C.

TAKIGAWA, M. *see* SAKAMOTO, T.
TALAL, N. *see* FLESCHER, E.
TAMAKI, H. *see* IWATANI, Y.
TAMAMORI, T. *see* SAKAMOTO, T.
TARTOUR, E. *see* LYNCH, A.
TAZI, A. *see* FAJAC, I.
TEILLAUD, J.L. *see* LYNCH, A.
THE, T.H. *see* KUKS, J.B.M.
THOMPSON, H.L. & WILTON, J.M.A. Interaction and intracellular killing of *Candida albicans* blastophores by human polymorphonuclear leucocytes, monocytes and monocyte-derived macrophages in aerobic and anaerobic conditions, 316
TITE, H.J. COOPER & J.P. *see* CROWE, J.S.
TODA, G. *see* AOTSUKA, S.
TOKUNAGA, Y. *see* ITOH, M.
TOMIOKA, H. *see* IWAMOTO, I.
TOMOE, S. *see* IWAMOTO, I.
TONNEL, A.B. *see* LASSALLE, P.
TOUCHARD, G. *see* KHAMLICHI, A.A.
TOWNSEND, P.J. *see* HUGHES, D.A.
TOWNSEND, P.J. *see* PRIOR, C.
TURNER, J.J. *see* BOYLE, M.J.

UCHIYAMA, T., ARAAKE, M., YAN, X.J., MIYANAGA, Y. & IGARASHI, H. Involvement of HLA class II molecules in acquisition of staphylococcal enterotoxin A-binding activity and accessory cell activity in activation of human T cells by related toxins in vascular endothelial cells, 322
UWATOKO, S. *see* AOTSUKA, S.

VALLE, M. *see* MANCA, F.
VAN DE GRIEND, R.J. *see* GORTER, A.

VAN DE LOO, A.A.J., ARNTZ, O.J. & VAN DEN DERG, W.B. Flare-up of experimental arthritis in mice with murine recombinant IL-1, 196
VAN DEN DERG, W.B. *see* VAN DE LOO, A.A.J.
VAN DEN OORD, J.J. *see* VOLPES, R.
VAN DER VOORT, E.A.M. *see* COREMANS, I.E.M.
VAN ES, L.A. *see* STAD, R.K.
VICARIO, J.L. *see* SEGUARDO, O.G.
VICTORINO, R.M.M., MARIA, V.A.J. & PINTO, L.A. Evidence for prostaglandin-producing suppressor cells in drug-induced liver injury and implications in the diagnosis of drug sensitization, 132
VINATIER, D. *see* DECOSTER, A.
VITTU, G. *see* DECOSTER, A.
VLEKKE, A.B.J. *see* KLAASSEN, R.J.L.
VOLPES, R., VAN DEN OORD, J.J., DESMET, V.J. & YAP, S.-H. Induction of intercellular adhesion molecule-1 (CD54) on human hepatoma cell line HepG2: influence of cytokines and hepatitis B virus-DNA transfection, 71
VUILLIER, F. *see* DADAGLIO, G.

WACHTER, H. *see* WEJSTÅL, R.
WAGATSUMA, Y. *see* ISHIZAKA, A.
WAKEFIELD, D. *see* LLOYD, A.
WALLAERT, B. *see* LASSALLE, P.
WALSH, T.T. FAJARDO G.P. *see* PARK, J.Y.
WASA, S. *see* IKEMOTO, S.
WEBSTER, A.D.B. *see* FRANZ, A.
WEBSTER, A.D.B. *see* HAZLEWOOD, M.A.
WEBSTER, A.D.B. *see* RUDNICKA, W.
WEIGEL, H.M. *see* KLAASSEN, R.J.L.
WEILAND, O. *see* WEJSTÅL, R.
WEJSTÅL, R., NOKRANS, G., WEILAND, O., SCHVARCZ, R., FUCHS, D., WACHTER, H., FRYDEN, A. & GLAUMANN, H. Lymphocyte subsets and β_2-microglobulin expression in chronic hepatitis C/non-A, non-B. Effects of interferon-alpha treatment, 340
WESTEDT, M.L. *see* KLAASSEN, R.J.L.
WICKER, T. *see* WIEDERMANN, C.J.
WIEDERMANN, C.J., SACERDOTE, P., MUR, E., KINIGADNER, U., WICKER, T., PANERAI, A.E. & BRAUNSTEINER, H. Decreased immunoreactive beta-endorphin in mononuclear leucocytes from patients with rheumatic diseases, 178
WILTON, J.M.A. *see* THOMPSON, H.L.
WOOD, N.C., SYMONS, J.A., DICKENS, E. & DUFF, G.W. *In situ* hybridization of IL-6 in rheumatoid arthritis, 183

YAMAMOTO, A.M., MURA, C., MORALES, M.G., BERNARD, O., KRISHNAMOORTHY, R. & ALVAREZ, F. Study of CYP2D6 gene in children with autoimmune hepatitis and P450 IID6 autoantibodies, 251
YAN, X.J. *see* UCHIYAMA, T.
YANG, X.-D., GASSER, J. & FEIGE, U. Prevention of adjuvant arthritis in rats by a nonapeptide from the 65-kD mycobacterial heat shock protein: specificity and mechanism, 99
YAP, S.-H. *see* VOLPES, R.
YOKOHARI, R. *see* AOTSUKA, S.
YOSHIDA, A. *see* ISHIOKA, C.
YOSHIDA, S. *see* IWAMOTO, I.
YOUN, J.K. *see* PARK, J.Y.

ZANDECKI, M. *see* LASSALLE, P.
ZANELLI, E., HENRY, M. & MALTHIERY, Y. Use of recombinant epitopes to study the heterogenous nature of autoantibodies against thyroid peroxidase in autoimmune thyroid disease, 80
ZARANTONELLO, M. *see* FABIO, G.
ZHANG, X. *see* ZUBLER, R.H.
ZUBLER, R.H., PERRIN, L.H., DOUCET, A., ZHANG, X., HUANG, Y.-P. & MIESCHER, P.A. Frequencies of HIV-reactive B cells in seropositive and seronegative individuals, 31
ZWILLING, B.S. *see* MCPEEK, M.

Subject Index

$\alpha\beta$ T cells, 444
Activation, 304
Acute toxoplasmosis, 310
Adhesion molecules, 231
Ageing, 346
AIDS-related complex, 357
Alloantigens, 485
Anergy, 76
Anti-P30 IgA, 310
Anti-dsDNA antibodies, 438
Antibodies to the acetylcholine receptor, 246
Antibodies, 144, 368
Antibody activity, 472
Antibody responses, 1
Antigen degradation, 298
Antigen presentation, 279, 485
Antigen-presenting cells, 15
Antigenaemia, 298
Antigens, 362, 368
Apoptosis, 465
Arginine, 157
Asthma, 266
Atopic dermatitis, 87
Autoantibodies, 80, 256
Autoimmune arthritis, 99
Autoimmune disease, 169
Autoimmune hepatitis, 251
Autoimmune liver diseases, 337
Autoimmune orchitis, 455
Autoimmunity, 24, 368

β-chain mRNA expression, 150
β endorphin, 178
β_2-microglobulin, 34
B cell epitopes, 37
B cell limiting-dilution analysis, 31
B cell responses, 504
B cells, 461, 493
B lymphocytes, 246
BCG, 163
Bacterial antigens, 224
Bacterial cystitis, 450
Bispecific monoclonal antibodies, 111
Black donor monocytes, 163
Bone marrow transplantation, 231, 478
Border disease, 393
Bronchoalveolar lavage, 272

C1q, 256
C3 deficiency, 404
C4 allotyping, 410
CAMPATH-1H, 105
CD25, 429
CD35, 422
$CD4^+CD8^+$ cells, 444
CD45, 329
CD59, 415
CD69, 478
CD8 cells, 444
cDNA sequence, 122
CR1, 144, 422
CTL precursor, 7
CTL, 65
CYP2D6 gene, 251
Calcium, 465
Candida albicans, 316
Capsule, 404
Cholesterol, 279
Chronic active liver disease, 352
Common variable immunodeficiency, 46, 461
Complement deficiency, 410
Complement receptor, 144
Complement, 138, 415, 422
Congenital toxoplasmosis, 310
Corticosteroids, 266
Crohn's disease, 224
Cryoglobulinaemia, 352
Cryoglobulins, 169, 190
Cystitis, 450
Cytokines, 58, 71, 304
Cytoplasmic antigens, 24
Cytoskeletons, 509

DNA, 410
Decay-accelerating factor, 415
Depression, 76
Dextran sulphate, 438
Disease, 122
Drug hypersensitivity, 132
Drug-induced hepatitis, 132
Drug-induced liver injury diagnosis, 132

ELISA, 362
Endothelial cells, 322
Eosinophilia, 266
Eosinophils, 203
Epithelial cells, 215
Epitopes, 80
Epstein–Barr virus, 65, 357
Erythrocytes, 422
Experimental arthritis, 196
Experimental kala-azar, 386
Experimental nephrosis, 117
Experimentally induced uraemic rats, 220

Fatigue, 76
FcεRII, 87
Fibronectin, 362
Flare up, 196
Foamy macrophages, 279
Foot process, 215
Fura-2, 465

gp120, 15
GPI anchors, 415
GVHD, 231
$\gamma\delta$ T cells, 444
Gastrointestinal mucosa, 237
Gene expression, 183
Genetic control, 373
Giardia, 304
Glomerular basement membrane, 256
Glomerular cell cultures, 117
Glomerulonephritis, 386

HBsAg, 298
HIV infection, 24, 31, 287
HIV, 15, 357
HIV-1, 20
HIV-conserved sequence, 37
HIV-specific B cells, 31
HIV-specific CTL, 7
HLA, 20
HLA-B8, 65
HLA-DR expression, 450
HLA-DR protein synthesis, 163

HTLV isolation, 293
HTLV, 293
Haemodyalisis, 329
Haemophilia, 287
Hashimoto's disease, 444
Heat shock protein, 99
Hepatitis B virus, 71
Heparan sulphate, 438
Hepatitis C virus, 352
Hepatitis C, 340
Hepatotropic viruses, 337
Human C-reactive protein, 509
Human diseases, 422
Human hepatocytes, 71
Human monocytes, 499
Human neutrophils, 329
Human thymocytes, 150, 261
Humanized monoclonal antibodies, 105
Humoral responses, 493
Hydroxl radical, 499
Hyper-IgE syndrome, 53

I-a expression, 117
ICAM-1, 71
IL-1, 196
IL-1-like cytokines, 117
IL-2 receptor, 150
IL-2, 435, 493
IL-2Rβ, 150
IL-6, 183
IgA nephropathy, 138
IgA subclasses, 1
IgA, 138
IgG subclass distribution, 237
IgG subclasses, 53
Immune complexes, 352, 386
Immune system, 7
Immunity, 94
Immunoblotting, 362
Immunocapture ELISA, 310
Immunocytochemistry, 71
Immunoglobulin gene expression, 472
Immunoglobulin light chains, 122
Immunoglobulin secretion *in vitro*, 31
Immunoglobulin, 493
In situ hybridization, 183
In vitro culture, 87
In vitro synthesis, 246
Interferon, 340
Interferon-gamma, 261, 429
Interstitial cystitis, 450
Ionomycin, 461
Isotype-specific IgA production, 504
Isotypic regulation, 208
Ity gene, 373

J chain, 237

Kala-azar, experimental, 386
Kidney-binding antibodies, 215
Killing, 316

LFA-1, 46
Leishmania donovani, 386
Leishmania, 58
Leprosy, 368
Leucocytes, 178
Lipoarabinomannan, 398
Liver/kidney microsomes antibody, 251
Lung carcinomas, 127
Lung disease, 272
Lungs, normal, 127
Lymph node T lymphocytes, 224
Lymphadenopathy syndrome, 357
Lymphatic canulation, 393
Lymphoblastoid cell lines, 65
Lymphocyte proliferation, 132, 485
Lymphocyte subsets, 293
Lymphocytes, 157, 279, 340
Lymphocytic thyroiditis, 261
Lymphokines, 398

MHC class II, 163
MHC restriction, 15, 485
Macrophages, 157, 304, 379
Mast cells, 203
Membrane enzymes, 509
Mesangial cells, 117
Mice, 94, 196
Microbial, 298
Minimal charge, 215
Monoclonal immunoglobulin deposition, 122
Monocytes, 163, 279, 316
mRNA accumulation, 398
Mucosal immunity, 237
Myasthenia gravis, 246
Mycobacteria, 94, 379, 398
Mycobacterial antigens, 272
Mycobacterial resistance, 163
Mycobacterium avium, 379
Mycobacterium tuberculosis, 362
Myeloma cells, 105
Myeloma, 122

Natural resistance, 58
Nerve, 368
Neutrophils, 24, 203, 316, 485, 509
Nitric oxide, 157
Non-A, non-B hepatitis, 340
Normal lungs, 127

OKT-3, 46
Opsonic activity, 53

P450 IID6 protein, 251
Paroxysmal nocturnal haemoglobinuria, 415
Pathogenesis, 15
Peptide epitope, 65
Peptidoglycan, 53
Peritoneal infection, 373
Permeability, 215
Phagocytosis, 304, 316
Phorbol ester, 461
Phosphotyrosin phosphatase, 329
Physiology, 422
Pleural effusion, 272
Polyamines, 435
Polymeric/monomeric IgA, 1
Polysaccharides, 404
Prenatal diagnosis, 310
Programmed cell death, 465
Proliferation, 157
Prostaglandin E_2, 132
Protective immunity, 379
Protein antigens, 94
Protein kinase C, 461, 478
Protein sequence, 472
Proteolysis, 144

Receptors, 422
Recombinant proteins, 80
Renal cell carcinoma, 111
Resident glomerular macrophages, 117
Rheumatic diseases, 178
Rheumatoid arthritis, 172, 183, 429, 435
Rheumatoid factor, 190, 352

Salmonella abortusovis, 373
Selective IgA deficiency, 237
Serum, 208
Soluble Fcy(gamma) receptors, 208
Soluble IL-2 receptor, 266, 287
Staphylococcus aureus, 53
Streptococcus pneumoniae, 404
Subacute thyroiditis, 444
Substance P, 203
Sulphatides, 438
Superantigens, 322
Suppression, 455
Suppressor cells, 132
Susceptibility to infection, 20
Synovia, 172
Synovial joint, 196
Synthetic peptides, 37
Systemic lupus erythematosus, 410, 422, 450

T cell activation, 322, 429
T cell clones, 111
T cell clusters, 46
T cell epitopes, 37, 99
T cell lines, 455
T cell subsets, 429
T cells, 272, 346, 379, 478
T lymphocytes, 246
THP1 cells, 58
Tε cells, 87
Testes, 455
Thymectomy, 246
Thymic hormones, 346
Thymosin fraction 5, 220
Thymus lymphocyte subsets, 220
Thymus-independent type 2 antigens, 404
Thyroglobulin, 261
Thyroid peroxidase, 80
Tuberculosis, 163
Tumour necrosis factor receptors, 499
Tumour necrosis factor-alpha, 287
Tumour-infiltrating lymphocytes, 11
Tumours, 208

Ulcerative colitis, 224
Ultrastructural changes, 261
Urinary, 298
Urothelium, 450

Variable gene usage, 172
Vascular endothelial cells, 203
Vasoactive intestinal peptide, 504
Virus persistence, 393

Zidovudine, 7